

- Suitable for many applications
- Splitable Introducer included

63 Microdialysis Catheter

The sterile, single use 63 Microdialysis Catheter is indicated for monitoring of tissue metabolism in adipose tissue, resting skeletal muscle or in hepatic tissue during open surgery.

Two different sizes of membrane and shaft length make the catheter suitable for many different applications. It can be used to monitor ischemia in free flaps, measure chemistry changes in hepatic tissue or for metabolic research studies in resting skeletal muscle or subcutaneous adipose tissue.

The catheter is easily introduced into the tissue with a splitable introducer. It has a long shaft that makes it suitable for monitoring skeletal muscle in obese patients or monitor deep buried flaps after Reconstructive surgery.

Monitoring tissue chemistry


The 63 Microdialysis Catheter and the Microdialysis Pump form a complete system with the ISCUSflex Microdialysis Analyzer. Samples can be collected and analyzed, to follow in vivo tissue chemical changes over several days. For research purposes the samples can be further analyzed by various techniques such as HPLC.

Intended purpose

The Peripheral Tissue Microdialysis catheter is intended to enable microdialysis in subcutaneous adipose tissue (63), resting skeletal muscle (63), hepatic tissue (61, 63) or in the intraperitoneal cavity (61).

The 63 Microdialysis Catheter is included in the group of Peripheral Tissue Microdialysis catheters.

Parts of the 63 Microdialysis Catheter



1. Microvial - consumable (polystyrene + santoprene)
2. Luer lock connection (polycarbonate)
3. Inlet tube (polyurethane)
4. Vial holder (polycarbonate)
5. Outlet tube (polyurethane)
6. Stopper (silicone)
7. Liquid cross (polysulfone)
8. Protection tube (polyethylene)
9. Shaft (polyurethane)
10. Dialysis membrane (polyarylethersulphone)
11. Gold thread within the catheter tip
12. Splitable Introducer
13. Fixating device (PEBAX®)

Technical information

	MATERIAL	LENGTH mm		Ø mm
		8010509	8010514	
shaft	polyurethane	60	40	OD 0.9
membrane	polyarylethersulphone, PAES	10	30	OD 0.6
inlet tube	polyurethane	600	600	OD 1.0
outlet tube	polyurethane	220	220	OD 1.0
membrane cut-off 20 000 Dalton				

Ordering information

	Ref. No.
63 Microdialysis Catheter 60/10 incl. Splitable Introducer SI-2 4/pkg	8010509
63 Microdialysis Catheter 40/30 incl. Splitable Introducer SI-2 4/pkg	8010514

Accessories/Consumables

	Ref. No.		Ref. No.
Microvials 250/pkg	P000001	106 Pump Syringe 20/pkg	8010191
Microvials Rack 12/pkg	P000028	Perfusion Fluid T1, 10x7,5mL	P000034
Microvial in rack, sterile 12x4	P000154	Battery 6V	8001788
106 Microdialysis Pump, 1pc	P000003	Pump kit for peripheral tissue	8003790
107 Microdialysis Pump, 1pc	P000127	Splitable Introducer SI-2 4/pkg	8010343

STERILE | R

Sterilized by β -radiation



Storage temperature: 4-25 °C



Single use only



Last date of use



Fulfils EU Medical Device Regulation (MDR) 2017/745



Medical device

80028251_2024-06-18



MDialysis AB Hammarby Fabriksväg 43, SE-120 30 Stockholm, Sweden Tel: +46-8-470 10 20 www.mdialysis.com

US Office: 73 Princeton Street, North Chelmsford, MA 01863 USA Tel: (866)868-9236 (978) 251-1940 Fax: (978) 251-1960 E-mail: usa@mdialysis.com